SAN FRANCISCO PUBLIC LIBRARY
3 1223 06563 3712

SAN FRANCISCO
DEPARTMENT OF PARKING & TRAFFIC
DIVISION OF TRAFFIC ENGINEERING

CROOKED STREET TASK FORCE

AGENDAS AND MINUTES

1999 – 2001

D
REF
388.411
Sa578
1999-2001

5/S

San Francisco Public Library

Government Information Center
San Francisco Public Library
100 Larkin Street, 5th Floor
San Francisco, CA 94102

REFERENCE BOOK

Not to be taken from the Library

SAN FRANCISCO
DPT
DEPARTMENT OF PARKING & TRAFFIC

WILLIE LEWIS BROWN, JR., MAYOR
STUART R. SUNSHINE, EXECUTIVE DIRECTOR

City and County of San Francisco

25.24

1/21/99

PARKING AND TRAFFIC
DIVISION of TRAFFIC ENGINEERING

CROOKED STREET TASK FORCE AGENDA

April 13, 1999

DOCUMENTS DEPT.

APR 16 1999

SAN FRANCISCO
PUBLIC LIBRARY

Meeting Date : April 21, 1999
Meeting Time: 6:00 PM - 7:00 PM
Meeting Place: 3rd Floor Conference Room, 25 Van Ness Avenue, Suite 345, San Francisco CA 94102-6033

The Department of Parking and Traffic has set up the following agenda items for the first crooked street task force meeting.

- ▣ **Opening Remarks by Chairperson, Mr. Tom Folks**
- ▣ **Refinement of problem definition and discussion of how to measure problems**
- ▣ **Street Closure Issues**
  - ☞ **Legal Issue (Section 21101.6 of California vehicle Code)**
  - ☞ **Technical Issues**
  - ☞ **Consensus Among Neighbors**
- ▣ **Public Comment (3 minutes each)**

We regret to inform you that our quest to find a mediator was not successful.

If you have any questions please call Amanuel Haile at 554-2329.

Sincerely,

Bond m. zfee

for Stuart Sunshine
Executive Director

cc: Government and Information Center, SF Public Library, 100 Larkin Street, SF, CA 94102

Crooked street task force members: Chairperson TOM FOLKS, Vice-Chairperson, Amanuel Haile

Mrs. Shirley Bates	Mr. Arthur Albrecht	Mr. Greg Brundage	Mrs. Lucretia Rauh
Mr. Elton L. Puffer	Mrs. Frances Bak-Brundage	Mr. Andrew Bacigalupi	Mr. Janis Olvarado

Crooked street task force back-up members

Mrs. Sandra Gulli	Mrs. Julie Mayberry	Mr. Anthon Bruehl

SAN FRANCISCO
DPT
DEPARTMENT OF PARKING & TRAFFIC
Traffic Engineering Division
City and County of San Francisco

WILLIE LEWIS BROWN, JR., MAYOR
STUART R. SUNSHINE, EXECUTIVE DIRECTOR

PARKING AND TRAFFIC
DIVISION of TRAFFIC ENGINEERING
MINUTES
CROOKED STREET TASK FORCE

May 4, 1999

DOCUMENTS DEPT.

MAY 13 1999

SAN FRANCISCO
PUBLIC LIBRARY

Meeting Date : April 21, 1999
Meeting Time: 6:00 PM - 7:00 PM
Meeting Place: 3rd Floor Conference Room, 25 Van Ness Avenue, Suite 345, San Francisco CA 94102-6033

The following agenda items for the first crooked street task force meeting were discussed:

Opening Remarks by Mr. Tom Folks, the Task Force Chairperson. Welcome note. The rationale for the task force selection was explained in terms of the residents' proximity to the crooked street, their position on restricting traffic, and their ability to represent different points of view in the neighborhood. The Task Force members include Ms. Shirley Bates, a Russian Hill Neighbors' Transportation Chairperson, Mr. Robert Brown, representing the Lombard Hill Improvement Association and Ms. Frances Bak-Brundage, representing the Montclair Terrace Association.
The goal of the task force is to make recommendations to the Parking and Traffic Commission. Task Force members introduced themselves. Tom noted that the vehicular and pedestrian problems related to the crooked street will be tackled by a Systems Analysis Method. Systems Analysis is a method of identifying problems and solutions step by step, and clarifying the constraints.

Ground Rules: The Task Force meetings will be conducted informally and restricted to one hour. Members are asked to concede to the Chairperson or Co-Chairperson's call to order .

Meeting Goal: The task force members will identify, discuss, measure and quantify problems related to crooked street according to state and city standards.

Refinement of problem definition and discussion of how to measure problems. Amanuel stated that DPT is looking for a volunteer task force mediator. DPT staff contacted SPUR (San Francisco Planning and Urban Research Association) staff, but they declined. He handed out a list of vehicular and pedestrian traffic problems as perceived by Russian Hill residents from the 1998 crooked street survey results. Air and Noise pollution experts and the DPT's Enforcement Division, Mr. Tony Novello, will

address the task force at the May 19,1999, meeting.
Task Force members agreed on the boundaries that vehicular and pedestrian problems will be identified and discussed. Task Force members discussed and agreed on the following items:

Speed: DPT staff will monitor the following:

1. Thrill rides and speeding traffic on Lombard Street between Leavenworth and Chestnut Street:
2. Vehicles going down the crooked street, making left turns and speeding up on Leavenworth Street:
3. Lack of speed limit signs.

DPT staff will conduct surveys on the above mentioned streets to quantify the problems. Speed radar and traffic volume counters will be used to measure speed and traffic volumes. Accident/collision rate related to speeding in the above areas was requested by Mr. Anton Bruehl. DPT staff will compile accident data for the above said locations.

Access: Difficulty in accessing driveways was discussed. DPT staff will monitor the following locations for driveway access delays and blockages:

1. Lombard Street, between Van Ness Avenue and Hyde Street:
2. Montclair Terrace (difficult accessing driveways due to pedestrians):
3. Hyde Street, between Lombard and Chestnut Streets:
4. Driveway access blocked at 1001 and 1002 Lombard Street:
5. Garages on Leavenworth Street:

The task force found that access delay is not a problem for crooked street residents. In addition cars parked blocking driveways overnight is not a major concern.

Tour Buses & Limousines: Violation of the Tour Bus Restriction on Chestnut and Larkin Streets was discussed. The frequency of tour buses and the number of passengers will be monitored. The task force members inquired if DPT officers can enforce the Tour Bus Restriction by issuing citations. This item will be discussed at the next task force meeting. DPT staff will monitor limousines blocking driveway access and causing traffic back-ups.

Traffic Signs: Lack of regulatory and advisory traffic signs was discussed. DPT staff will investigate State Park-style signs and Historical-style Signs to be used in lieu of the regular traffic signs. These signs were suggested by the task force members to provide better distinction.

Demand vs Capacity: High volume of traffic at the crooked street vs the capacity of the street was discussed. DPT staff will conduct the following studies:

1. Vehicular Traffic movement:
2. Bottlenecks and traffic backups:
3. Gridlock caused by pedestrians and vehicles. In particular pedestrians taking group pictures at the bottom of the crooked street causing traffic backups will be monitored.

Baby-Carriages: DPT staff will check the problem of baby-carriage access. Presently, pedestrians with baby-carriages are allowed to use the sidewalk-steps only. Due to the steep grade of the crooked street, it would be impractical to provide handicap-ramp access for baby-carriages.

Street Closure Issues: A street closure subcommittee will not be formed. Instead, these issues will be discussed by the task force. Tom Folks noted the following issues associated with closure of a street :

1. **Legal Issue (Section 21101.6 of California vehicle Code):** California Vehicle Code Section 21101.6, prohibits the closure of a street to allow local access only. Currently, Tom explained that it is illegal to gate a public street to allow selective access for residents and exclude the general public. Ms. Bates noted a previous senate bill of March 2, 1987, introduced by Senator Quentin Kopp. This bill amended Section 21101.6 of the Vehicle Code. She also noted that the bill was never acted upon and expired.

2. **Technical and Financial Issues:** The technical issues such as gate placement, delivery access, guest access and turnaround space, and the financial issues regarding street closure must be addressed .

3. **Consensus Among Neighbors:** The street closure will also require consensus among the neighbors. The majority of residents must agree that closing the street is the only solution.

The issue of balancing the task force members with regards to their view of closing crooked street to traffic was discussed. DPT staff believes that the current composition is unbiased. DPT staff does not intend to bring matters to a vote at the Task Force. The meeting will be conducted informally to allow participation and the building of consensus. The back-up task force members are welcome to continue attending the meetings.

Meeting was adjourned by 7:15 PM. The next task force meeting is scheduled for May 19, 1999.

cc: Government and Information Center, SF Public Library, 100 Larkin Street, SF, CA 94102

Crooked street task force members: Chairperson TOM FOLKS, Vice-Chairperson, Amanuel Haile

Mrs. Shirley Bates	Mr. Robert Brown	Mr. Greg Brundage	Mrs. Lucretia Rauh
Mr. Elton L. Puffer	Mrs. Frances Bak-Brundage	Mr. Andrew Bacigalupi	Ms. Janis Olvarado

Crooked street task force back-up members

Mrs. Sandra Gulli	Mrs. Julie Mayberry	Mr. Anton Bruehl

SAN FRANCISCO
DPT
DEPARTMENT OF PARKING & TRAFFIC

Traffic Engineering Division
City and County of San Francisco

WILLIE LEWIS BROWN, JR., MAYOR
STUART R. SUNSHINE, EXECUTIVE DIRECTOR

PARKING AND TRAFFIC

DIVISION of TRAFFIC ENGINEERING
CROOKED STREET TASK FORCE AGENDA

May 7, 1999

Meeting Date : May 19, 1999
Meeting Time: 5:00 PM - 6:30 PM
Meeting Place: 3rd Floor Conference Room, 25 Van Ness Avenue, Suite 345, San Francisco CA 94102-6033

The Department of Parking and Traffic has set up the following agenda items for the second crooked street task force meeting.

- ▣ **Approve Minutes from April 21, 1999 meeting (10 minutes).**
- ▣ **Air Pollution issues: Mr. Richard Lee from DPH Environmental Health Division will address the task force (15 minutes).**
- ▣ **Noise Pollution issues: Mr. Tom Rivard from DPH Environmental Health Division will address the task force (15 minutes).**
- ▣ **Enforcement issues: Mr. Tony Novello from DPT Enforcement Division will address the task force (15 minutes).**
- ▣ **Public Comment (3 minutes each)**

If you have any questions please call Amanuel Haile at 554-2329.

Sincerely,

Stuart Sunshine
Executive Director

DOCUMENTS DEPT.

MAY 13 1999

SAN FRANCISCO
PUBLIC LIBRARY

cc: Government and Information Center, SF Public Library, 100 Larkin Street, SF, CA 94102
Richard Lee, DPH, Environmental Health, Suite 210, 1390 Market Street
Tom Rivard, DPH, Environmental Health, Suite 210, 1390 Market Street
Tony Novello, DPT Enforcement, 505 7th Street

Crooked street task force members: Chairperson TOM FOLKS, Vice-Chairperson, Amanuel Haile

Mrs. Shirley Bates	Mr. Robert Brown	Mr. Greg Brundage	Mrs. Lucretia Rauh
Mr. Elton L. Puffer	Mrs. Frances Bak-Brundage	Mr. Andrew Bacigalupi	Mr. Janis Olvarado

Crooked street task force back-up members

Mrs. Sandra Gulli	Mrs. Julie Mayberry	Mr. Anton Bruehl

SAN FRANCISCO
DPT
DEPARTMENT OF PARKING & TRAFFIC
24
WILLIE LEWIS BROWN, JR., MAYOR
STUART R. SUNSHINE, EXECUTIVE DIRECTOR

City and County of San Francisco

9/99

PARKING AND TRAFFIC
DIVISION of TRAFFIC ENGINEERING
MINUTES
CROOKED STREET TASK FORCE

DOCUMENTS DEPT.

JUN 10 1999

SAN FRANCISCO
PUBLIC LIBRARY

June 4, 1999

Meeting Date : May 19, 1999
Meeting Time: 5:30 PM - 7:00 PM
Meeting Place: 3rd Floor Conference Room, 25 Van Ness Avenue, Suite 345, San Francisco CA 94102-6033

The following agenda items for the second crooked street task force meeting were discussed:

- Air pollution:
- Noise Pollution:
- Enforcement.

Opening Remarks by Mr. Tom Folks, the Task Force Chairperson. Welcome note. Task Force members introduced themselves. See the attached attendance sign up sheet for meeting attendees. The minutes from the April 21, 1999, meeting were approved by the Task Force members.

Air Pollution on and around the Crooked Street: Mr. Richard Lee, Sr. Industrial Hygienist, from the DPH Environmental Health Division, addressed the task force. Mr. Lee discussed a previous air pollution study for the area. On Saturday, August 22, 1997, at the request of a Russian Hill resident, a measurement of Carbon Monoxide was taken (a major component of vehicle exhaust) along the sidewalk on the 1200 block of Lombard Street from 2:20 PM to 5:00 PM, when cars were lined up waiting to go down the crooked street. Carbon Monoxide levels averaged 2-3 parts per million (ppm). Levels on the sidewalk averaged 5-10 ppm. He also noted that there are no city ordinances or standards regulating vehicle exhaust. California has a related ambient air quality standard for Carbon Monoxide allowing 9 ppm averaged over an 8 hour period of 20 ppm averaged over 1 hour. The measurement taken on the 1200 block of Lombard Street, he noted, would not have exceeded the State standard. He further explained that the measurements taken are also below the occupational health and safety standard of 25 ppm, averaged over 8 hours, 5 days a week.

In conclusion, the exhaust from the vehicles measured on August 22, 1997, did not pose a public health hazard. Mr. Lee will conduct a second Carbon Monoxide

measurement study on the July 4th, 1999, weekend where, according to the members of the Task Force, cars line up from the crooked street to the Van Ness Avenue and Lombard Street intersection. DPT staff will assist Mr. Lee in conducting the Carbon Monoxide measurements.

Noise Pollution on and around the Crooked Street: Mr. Tom Rivard, noise pollution expert from the DPH Environmental Health Division, addressed the Task Force. Members of the task force noted various noise problems that they encountered. Noise associated with speeding vehicles, cars honking, pedestrians yelling, tire screeching and loud music from vehicles using the crooked street were identified as the major sources of noise pollution. Mr. Rivard noted that vehicle noise is regulated under the California Vehicle Code and presently, heavy trucks and tour buses are prohibited on and around the crooked street. Therefore he added, vehicle noise measurements are not likely to reveal any unusual violations. Mr. Rivard stated that much of the identified noise pollution is regulated under the San Francisco Police Code, Article 29. The task force agreed that the noise pollution on and around the crooked street is difficult to quantify and is primarily a matter of enforcing existing laws.

Enforcement on and around the Crooked Street: Captain Goldberg of Central Police Station, Lieutenant Don Carlson of SFPD Traffic Company and Tony Novello of the DPT Enforcement Division addressed the task force. The following enforcement related issues were discussed :

1. Thrill rides and speeding traffic on Lombard Street between Leavenworth and Chestnut Street:
2. Vehicles going down the crooked street, making left turns and speeding up on Leavenworth and chestnut Streets:
3. Noise Pollution on and around crooked street
4. Violations of the "No Left Turn" sign from southbound Hyde Street to Lombard Street:
5. Pedestrians blocking the intersection of Leavenworth and Lombard Streets:
6. The need for more Parking Control Officers (PCO's) to direct traffic, and regulate parking violations:
7. The need for more police officers to enforce violations mentioned above.

Captain Goldberg explained that the Central Station, besides enforcing traffic violations, is also engaged in street patrol and other functions. He noted that the Central Station has limited staffing and budget. More rigorous enforcement of vehicular movement on the crooked street is not feasible due to the limited availability of resources to enforce vehicular violations at tourist areas such as Fisherman's Wharf, Telegraph Hill and Coit Tower. In addition, since the majority of the visitors at the crooked street are tourists, enforcement will not have a lasting effect. The SFPD Central Station will provide enforcement as deemed necessary given the availability of personnel.

The task force requested more police officer presence at the crooked street during the high tourist season.

Tony Novello of the DPT Enforcement Division noted that the DPT Enforcement Division assigns PCO's at the crooked street during high tourist seasons. He said that the money allocated for the crooked street traffic control for the 1999 fiscal year is $17,000. This funds an overtime budget, since most of the traffic queues happen on the weekends and the PCO's must be paid overtime for their services. Due to the limited budget, the department provides PCO's to control traffic on and around the crooked street for about nine (9) weekends . The PCO's are assigned at Van Ness Avenue and Lombard Street, Polk and Lombard Streets, Larkin and Lombard Streets, and Hyde and Lombard Streets. Because this is an overtime funded program, DPT must rely on PCO's to volunteer for this assignment. Due to various circumstances, such as a whistle blowing restriction, irate behavior exhibited towards the PCO's by tourists and residents, the Enforcement Division has difficultly assigning experienced PCO's for this program. Labor restrictions prohibit the director and the supervisors from forcing more experienced PCO's to work overtime on this assignment.

Meeting was adjourned by 6:30 PM. The next task force meeting is scheduled for June 30, 1999, at 5:45 PM, 3rd Floor Conference Room, 25 Van Ness Avenue, Suite 345, San Francisco.

cc: Government and Information Center, SF Public Library, 100 Larkin Street, SF, CA 94102
Tony Novello, DPT Enforcement
Captain Goldberg, SFPD Central Station, 766 Vallejo Street
Richard Lee, DPH Environmental Health, Suite 210, 1390 Market Street
Tom Rivard, DPH Environmental Health, Suite 210, 1390 Market Street
Lieutenant Don Carlson, SFPD Traffic Company
Crooked street task force members: Chairperson TOM FOLKS, Vice-Chairperson, Amanuel Haile

Mrs. Shirley Bates	Mr. Robert Brown	Mr. Greg Brundage	Mrs. Lucretia Rauh
Mr. Elton L. Puffer	Mrs. Frances Bak-Brundage	Mr. Andrew Bacigalupi	Ms. Janis Olvarado
Mrs. Sandra Gulli	Mrs. Julie Mayberry	Mr. Anton Bruehl	

SAN FRANCISCO
DPT
DEPARTMENT OF PARKING & TRAFFIC

WILLIE LEWIS BROWN, JR., MAYOR
STUART R. SUNSHINE, EXECUTIVE DIRECTOR

City and County of San Francisco

PARKING AND TRAFFIC

DIVISION of TRAFFIC ENGINEERING
CROOKED STREET TASK FORCE AGENDA

June 4, 1999

5.24

30/99

Meeting Date : June 30, 1999
Meeting Time: 5:45 PM - 6:45 PM
Meeting Place: 3rd Floor Conference Room, 25 Van Ness Avenue, Suite 345, San Francisco CA 94102-6033

The Department of Parking and Traffic has set up the following agenda items for the third crooked street task force meeting.

- ▣ **Approve Minutes from May 19, 1999 meeting (10 minutes).**
- ▣ **Enforcement issues: Mr. Tony Novello from DPT Enforcement Division, Captain Goldberg of the SFPD Central Station and Lieutenant Don Carlson of the SFPD Traffic Company will address the task force (15 minutes each).**
- ▣ **Existing Condition on and around the crooked street: Presentation by Amanuel Haile (10 min).**

If you have any questions please call Amanuel Haile at 554-2329.

Sincerely,

Stuart Sunshine
Executive Director

06-10-99A11:12 RCVD

DOCUMENTS DEPT.
JUN 10 1999
SAN FRANCISCO
PUBLIC LIBRARY

cc: Government and Information Center, SF Public Library, 100 Larkin Street, SF, CA 94102
Captain Goldberg, SFPD Central Station, 766 Vallejo Street
Richard Lee, DPH Environmental Health, Suite 210, 1390 Market Street
Tom Rivard, DPH Environmental Health, Suite 210, 1390 Market Street
Lieutenant Don Carlson, SFPD Traffic Company
Tony Novello, DPT Enforcement, 505 7th Street

Crooked street task force members: Chairperson TOM FOLKS, Vice-Chairperson, Amanuel Haile

Mrs. Shirley Bates	Mr. Robert Brown	Mr. Greg Brundage	Mrs. Lucretia Rauh
Mr. Elton L. Puffer	Mrs. Frances Bak-Brundage	Mr. Andrew Bacigalupi	Mr. Janis Olvarado
Mrs. Sandra Gulli	Mrs. Julie Mayberry	Mr. Anton Bruehl	

SAN FRANCISCO
DPT
DEPARTMENT OF PARKING & TRAFFIC

WILLIE LEWIS BROWN, JR., MAYOR
STUART R. SUNSHINE, EXECUTIVE DIRECTOR

City and County of San Francisco

DOCUMENTS DEPT.

AUG 25 1999

SAN FRANCISCO
PUBLIC LIBRARY

PARKING AND TRAFFIC
DIVISION of TRAFFIC ENGINEERING
MINUTES
CROOKED STREET TASK FORCE

August 19, 1999

Meeting Date : June 30, 1999
Meeting Time: 5:30 PM - 7:00 PM
Meeting Place: 3rd Floor Conference Room, 25 Van Ness Avenue, Suite 345, San Francisco CA 94102-6033

The following agenda items for the third crooked street task force meeting were discussed:

- **Enforcement issues and Related Items : Mr. Tony Novello from DPT Enforcement Division and Captain Goldberg of the SFPD Central Station .**
- **Existing Condition on and around the crooked street: Presentation by Amanuel Haile.**

Opening Remarks by Mr. Tom Folks, the Task Force Chairperson. Welcome note. Task Force members introduced themselves. See the attached attendance sign up sheet for meeting attendees. The minutes from the May 19, 1999, meeting were approved by the Task Force members.

Enforcement on and around the Crooked Street: Captain Goldberg of Central Police Station and Tony Novello of the DPT Enforcement Division addressed the task force. The following enforcement related issues were discussed :

- Repeat traffic regulation violators vs tourists.
- Violations of the "No Left Turn" sign from southbound Hyde Street to Lombard Street:

Task force members inquired if pedestrians that block the roadway at the bottom of the crooked street could be cited. Captain Goldberg explained that since the majority of the visitors at the crooked street are tourists they are not regarded as repeat violators, hence, issuing citation to tourist is not likely to have a lasting effect. DPT staff recommends increasing enforcement through PCO's at the location to provide an active deterrent. Captain Goldberg noted that southbound motorists on Hyde Street between Lombard and Chestnut Streets have limited visibility of the "No Left Turn" regulatory signs. He suggested that a "No Left Turn" pavement marking be painted to further inform motorist of the regulation. DPT staff will investigate the installation of pavement markings on southbound Hyde Street between cable car trucks.

Task Force members requested that a MUNI cable car representative be present at the next crooked street task force meeting to address the following issues:

- The possibility of eliminating or relocating the northbound Hyde Street cable car stop near Lombard Street.
- The possibility of preventing cable cars from stopping and boarding passengers at the intersection of Hyde and Lombard Streets.

DPT staff will invite a representative from the MUNI Cable Car Division for the next crooked street task force meeting.
A task force member inquired if the STOP sign, stopping eastbound crooked street traffic at Leavenworth Street, could be eliminated to ease the traffic congestion on the crooked street. Some task force members objected to the idea noting that Leavenworth Street carries a significant traffic volume, including a number of taxi cabs and limousines. If the STOP sign were eliminated it may create traffic backups on Leavenworth Street.

Existing conditions on and around the Crooked Street

Amanuel presented a summary report of various traffic counts and speed monitoring survey results to the task force. The summary report was compiled from field investigations performed on and around the crooked street from May 9- May 31, 1999.

The presentation is summarized as shown below:

- Vehicular traffic capacity of the crooked street is on average 350 vehicles per hour.
- During the high tourist season such as Memorial Day weekend, the traffic delay averages 35-40 minutes (Traffic delay = vehicular traffic trying to reach the crooked street from Lombard Street at Van Ness Avenue to Lombard Street at Hyde Street, i.e., 3 blocks, 1230 feet +/-).
- On weekends the peak traffic volume averaging 300 vehicles per hour begins at 12:00 noon and lasts until 9:00 p.m.

The following is a summary of the speed survey results on Chestnut Street between Leavenworth and Hyde Streets from May 27- May 30, 1999 :

- The existing speed limit is 25 miles per hour.
- The Average Speed of all the vehicles was 24.64 miles per hour
- Median Speed was 24.19 miles per hour
- 85th Percentile Speed was 25.34 miles per hour. The 85th percentile speed is the speed that 85% of drivers drive at or below. The 85th percentile speed is a common benchmark speed used to evaluate speeding conditions. 85th percentile speeds less 33 miles per hour are fairly common on streets with 25 miles per hour speed limits.

On Chestnut Street between Leavenworth and Hyde Streets, more than 95% of all vehicles traveled at speeds of 28 miles per hour or less.

Meeting was adjourned by 6:30 PM. The next task force meeting is scheduled for September 2, 1999, at 5:45 PM, 3rd Floor Conference Room, 25 Van Ness Avenue, Suite 345, San Francisco.

cc: Government and Information Center, SF Public Library, 100 Larkin Street, SF, CA 94102
Tony Novello, DPT Enforcement
Captain Goldberg, SFPD Central Station, 766 Vallejo Street
Richard Lee, DPH Environmental Health, Suite 210, 1390 Market Street
Lieutenant Don Carlson, SFPD Traffic Company

Crooked street task force members: Chairperson TOM FOLKS, Vice-Chairperson, Amanuel Haile

Mrs. Shirley Bates	Mr. Robert Brown	Mr. Greg Brundage	Mrs. Lucretia Rauh
Mr. Elton L. Puffer	Mrs. Frances Bak-Brundage	Mr. Andrew Bacigalupi	Ms. Janis Olvarado
Mrs. Sandra Gulli	Mrs. Julie Mayberry	Mr. Anton Bruehl	

SAN FRANCISCO
DPT
DEPARTMENT OF PARKING & TRAFFIC

City and County of San Francisco

WILLIE LEWIS BROWN, JR., MAYOR
STUART R. SUNSHINE, EXECUTIVE DIRECTOR

PARKING AND TRAFFIC

DIVISION of TRAFFIC ENGINEERING
CROOKED STREET TASK FORCE AGENDA

August 18, 1999

Meeting Date : September 2, 1999
Meeting Time: 5:45 PM - 6:45 PM
Meeting Place: 3rd Floor Conference Room, 25 Van Ness Avenue, Suite 345, San Francisco CA 94102-6033

The Department of Parking and Traffic has set up the following agenda items for the fourth crooked street task force meeting.

- ▣ **Approve Minutes from June 30, 1999 meeting (10 min).**
- ▣ **Air Pollution Measurment Results: Mr. Richard Lee from DPH (10 min).**
- ▣ **MUNI's cable car issues: MUNI representative (10 min).**
- ▣ **Discussion on how to solve the existing traffic issues (15 min).**

If you have any questions please call Amanuel Haile at 554-2329.

Sincerely,

Stuart Sunshine
Executive Director

DOCUMENTS DEPT.
AUG 25 1999
SAN FRANCISCO
PUBLIC LIBRARY
08-25-99A10:14 RCVD

cc: Government and Information Center, SF Public Library, 100 Larkin Street, SF, CA 94102
Captain Goldberg, SFPD Central Station, 766 Vallejo Street
Richard Lee, DPH Environmental Health, Suite 210, 1390 Market Street
Lieutenant Don Carlson, SFPD Traffic Company
Tony Novello, DPT Enforcement, 505 7th Street

Crooked street task force members: Chairperson TOM FOLKS, Vice-Chairperson, Amanuel Haile

Mrs. Shirley Bates	Mr. Robert Brown	Mr. Greg Brundage	Mrs. Lucretia Rauh
Mr. Elton L. Puffer	Mrs. Frances Bak-Brundage	Mr. Andrew Bacigalupi	Mr. Janis Olvarado
Mrs. Sandra Gulli	Mrs. Julie Mayberry	Mr. Anton Bruehl	

SAN FRANCISCO
DPT
DEPARTMENT OF PARKING & TRAFFIC

WILLIE LEWIS BROWN, JR., MAYOR
STUART R. SUNSHINE, EXECUTIVE DIRECTOR

City and County of San Francisco

PARKING AND TRAFFIC
DIVISION of TRAFFIC ENGINEERING
REPORT
CROOKED STREET TASK FORCE

DOCUMENTS DEPT.

AUG 25 1999

SAN FRANCISCO
PUBLIC LIBRARY

August 19, 1999

Air Pollution Field Investigation Result

Mr. Richard Lee, Sr. Industrial Hygienist, from the DPH Environmental Health Division, and Amanuel Haile conducted measurements of air quality on July 3, 1999 at the Crooked Street. Measurements of carbon monoxide was taken (a major component of vehicle exhaust) at two locations. The first location was on the Crooked Street at Montclair Terrace. The other location was at the southeast corner of Lombard and Larkin Streets, 3 feet away from the curb. The sampling was conducted at a height of 5 feet.

Carbon monoxide was measured using two Industrial Scientific ATX0612 four gas monitors. The monitors were zeroed and calibrated to carbon monoxide prior to the measurements at a clean location. Confirmatory measurements were taken at the Larkin Street location using a Metrosonics 7700 carbon monoxide sensor. The meters were read and recorded every minute.

Measurements were taken at the Montclair Terrace site from 1:15 p.m. to 3:15 p.m. During this time, there was continuous vehicular traffic along Lombard Street from Van Ness Avenue to Leavenworth Street. During the measurement period there was a continuous wind of approximately 5-10 miles per hour.

Results

At the Montclair Terrace location, carbon monoxide levels were between 0 and 1 part per million (ppm) for almost the entire measurement period. There was one spike that lasted less than one minute where level was 11 ppm. This may have been due to a vehicles with a faulty emission system. The average concentration during the measurement period was less than 1 ppm.

At the Larkin Street location, carbon monoxide levels were between 0 and 1 ppm for almost the entire measurement period. There were three peaks lasting 2-3 minutes,

where levels reached 4 ppm. There were two other peaks lasting 2-3 minutes where levels reached 8 ppm and 14 ppm. Again, these peaks were probably due to older cars with faulty emission systems. The Metrosonics meter confirmed these measurements. The average concentration during the measurement period was less than 2 ppm.

Evaluation

There are no city ordinance or standards regulating vehicle exhaust. California has an ambient air quality standard allowing 9 ppm averaged over an 8 hour period or 20 ppm over 1 hour. The measurements taken at both locations were well below these standards. These measurements are also well below the occupational health safety standard of 25 ppm, averaged over 8 hours, 5 days a week. In addition, measurements were taken on particular busy day for vehicular traffic. Levels should be lower on lighter days. The measurements indicate that vehicle exhaust in this area does not pose a public health hazard.

SAN FRANCISCO
DPT
DEPARTMENT OF PARKING & TRAFFIC

Traffic Engineering Division
City and County of San Francisco

WILLIE LEWIS BROWN, JR., MAYOR
FRED M. HAMDUN, EXECUTIVE DIRECTOR

PARKING AND TRAFFIC

5.24

DIVISION of TRAFFIC ENGINEERING
CROOKED STREET TASK FORCE AGENDA

20/00

August 29, 2000

Meeting Date : **September 20, 2000**
Meeting Time: **5:45 PM - 6:45 PM**
Meeting Place: **3rd Floor Conference Room, 25 Van Ness Avenue, Suite 345, San Francisco CA 94102-6033**

The Department of Parking and Traffic has set up the following agenda items for the sixth crooked street task force meeting.

☒ **Review and comment on the final report .**

Please review the attached crooked street report and give us your comments by the scheduled meeting.

If you have any questions please call Amanuel Haile at 554-2329.

Sincerely,

Fred Hamdun
Executive Director

DOCUMENTS DEPT.

SEP - 8 2000

SAN FRANCISCO
PUBLIC LIBRARY

cc: Government and Information Center, SF Public Library, 100 Larkin Street, SF, CA 94102
Captain Dillon, SFPD Central Station, 766 Vallejo Street
Lieutenant Don Carlson, SFPD Traffic Company
Debbie Fong-Borthne, DPT Enforcement, 505 7th Street
Perter Straus, MUNI, Service planning, 949 Presidio Avenue, San Francisco, CA 94115

Crooked street task force members: Chairperson TOM FOLKS, Vice-Chairperson, Amanuel Haile

Mrs. Shirley Bates	Mr. Robert Brown	Mr. Greg Brundage	Mrs. Lucretia Rauh
Mr. Elton L. Puffer	Mrs. Frances Bak-Brundage	Mr. Andrew Bacigalupi	Mr. Janis Olvarado
Mrs. Sandra Gulli	Mrs. Julie Mayberry	Mr. Anton Bruehl	

AGA - 7472

THE CROOKED STREET

TRAFFIC STUDY REPORT

by: tom folks & amanuel haile

August 22, 2000

INTRODUCTION

This report presents the results of San Francisco's "Crooked Street" Task Force meetings, results of various traffic-related studies performed on and around the crooked street, and DPT's staff recommendation addressing the problems concerning the "crooked street." As a major landmark, the crooked street, the 1000 block of Lombard Street, attracts a large number of motorist sightseers. Over the years, many residents have complained about the excess number of vehicles in the neighborhood.

On April 21, 1999, a small neighborhood Task Force was formed to address traffic problems related to the crooked street. The Task Force oversaw various studies and discussed issues of restricting traffic on the crooked street. This report presents the results. Following this introduction, there is a background section that discusses the formation of the Task Force. The methodology used to evaluate the concerns addressed by the residents is then discussed. This is followed by a summary of various traffic-related study results and their analysis. Finally, we present our recommendations about what the next steps should be. We also have a separate, technical appendix showing various summaries of the studies and survey data.

BACKGROUND

On January 19, 1999, the staff of the Department of Parking and Traffic presented postcard survey results about traffic problems related to the crooked street to San Francisco's Parking and Traffic Commission. DPT staff recommended forming a small neighborhood task force to address the following issues:

- Vehicular traffic capacity and area bottlenecks;
- Excessive vehicular traffic and parking demand;
- The possibility of a shuttle service;
- A pedestrian traffic movement and pedestrian accident study;
- The need for more Traffic Control Officers on Weekends and Holidays with longer working hours;
- The effectiveness of traffic control signs;
- Air pollution and Noise pollution;
- Restricting traffic on the crooked street.

The Task Force was composed to balance the opinion of members between those favoring restriction of the crooked street and those who oppose or are uncertain about how it should be accomplished. The size of the Task Force was also limited to facilitate meeting coordination and to allow everyone a chance to participate. Representatives from DPT's Enforcement Division and the Police Department's Central Station and Traffic Bureau were also invited to be on the Task Force.

On February 2, 1999, the Department of Parking and Traffic sent out letters inviting Russian Hill residents to participate on the Task Force. The rationale for the Task

Force selection can be explained in terms of the residents' proximity to the crooked street, their position on restricting traffic, and their ability to represent different points of view in the neighborhood. The goal of the Task Force is to make recommendations to the Parking and Traffic Commission. Originally, the Task Force was formally balanced between residents favoring a crooked street restriction and residents who were either against or undecided towards such action. As time went on, the formal structures were relaxed, with the following residents' participating on the Task Force:

1. Ms. Shirley Bates, (a former Russian Hill Neighbors' Transportation Chairperson,)
2. Mr. Greg Broundage (resident of the 1000 block of Lombard Street)
3. Ms. Lucretia Rauh (Russian Hill Neighbors' Transportation Chairperson,)
4. Mr. Elton L. Puffer (resident of the 1000 block of Lombard Street)
5. Ms. Frances Bak-Brundage, (representing the Montclair Terrace Association)
6. Mr. Andrew Bacigalupi (resident of Montclair Terrace)
7. Mr. Janis Olvarado (resident of the 1000 block of Lombard Street)
8. Ms. Sandra Gulli (resident of the 2600 block of Larkin Street)
9. Ms. Julie Mayberry (resident of the 2700 block of Larkin Street)
10. Mr. Anthon Bruehl (resident of the 1600 block of Hyde Street)
11. Dr. Robert Brown (resident of the 1000 block of Lombard Street)

The following are city employees who participated in the task force:

Captain Culop Goldberg, SFPD Central Station
Captain Tony Novello, DPT Enforcement
Lieutenant Don Carlson, SFPD Traffic Bureau
Richard Lee, DPH, Senior Industrial Hygienist
Tom Rivard, DPH, Noise Pollution Expert
George Bowie, MUNI Cable Car Division
Andrew Saltzman, MUNI Cable Car Division
Michael Cronbach, MUNI Railway Service Planning

The following DPT staff organized and chaired the crooked street task force meetings, performed various studies and are responsible for this final report:

1. Tom Folks, Senior Transportation Engineer
2. Amanuel Haile, Assistant Transportation Engineer

The Task Force meetings were conducted informally and were intended to be restricted to one hour. Public comment periods were held at the end of each meeting to allow non-Task Force members who wished to speak. The members identified, discussed, measured and quantified problems related to the crooked street in accordance with state and city design/operation standards.

METHODOLOGY

The vehicular and pedestrian problems related to the crooked street were addressed using a Systems Analysis approach. Systems Analysis is a method of breaking down a problem into its component parts, understanding the constraints and developing solutions step by step. DPT staff, at the first Task Force meeting (April 21, 1999) handed out a list of vehicular and pedestrian traffic problems as perceived by Russian Hill residents (from the 1998 crooked street postcard survey.) The list was discussed to determine which problems could be studied and quantified. Task Force members agreed on the problem-area boundaries, as shown in Figure1.



Figure I. Traffic Condition Study Area

SUMMARY OF PROBLEMS

DPT staff conducted traffic volume counts, observed motorist and pedestrian behavior and obtained speed, license plate and accident data. Radar and traffic counters were used to measure speed and traffic volumes and a video camcorder was used to record the license plates. DPT staff also compiled accident data from the Police Department's Collision Reports.

In addition, DPT staff monitored the following locations for driveway access delay and blockages:

1. Lombard Street, between Van Ness Avenue and Hyde Street
2. Montclair Terrace

3. Hyde Street, between Lombard and Chestnut Streets
4. 1001 and 1002 Lombard Street
5. Leavenworth Street, between Chestnut and Filbert Streets

In general the Task Force agreed that access to driveways was not a major concern. However there is an ongoing nuisance of the driveways at the base of the crooked street being blocked for short periods by people who park their cars to take photographs.

The task force discussed the violation of the tour bus restriction on Chestnut and Larkin Streets. The frequency of tour buses and the number of passengers were monitored. DPT staff found that the tour bus restriction is violated occasionally. DPT staff has asked task force members to report violators of tour bus restrictions. DPT staff, once the violators are identified, would write a letter and inform violators of the restriction. Repeat violators would be reported to SFPD for further action. The Task Force members inquired if DPT officers can enforce the tour bus restriction by issuing citations. At the moment, only SFPD can cite tour bus violations.

Lack of regulatory and advisory traffic signs was also discussed. It was suggested that DPT staff would investigate the use of State Park-style and Historical-style signs to be used in lieu of the regular traffic signs.

The high volume of traffic versus the capacity of the crooked street was discussed. DPT staff conducted the following studies:

- Bottlenecks and traffic backups
- Gridlock caused by pedestrians and vehicles. In particular pedestrians taking group pictures at the bottom of the crooked street causing traffic backups was monitored.

The following issues that involve MUNI were discussed:

- The possibility of eliminating or relocating the Hyde Street cable car stop at Lombard Street.
- The possibility of a new MUNI service connection from the #39 line.

The following issues associated with closure of a public street were discussed:

- **Legal Issue (Section 21101.6 of California Vehicle Code):** California Vehicle Code Section 21101.6 prohibits the closure of a public street to allow local access only. It is illegal to gate a public street to allow selective access for residents and exclude the general public. A previous senate bill of March 2, 1987, introduced by Senator Quentin Kopp was discussed. It was noted that this bill was never acted upon and expired. This bill would have amended Section 21101.6 of the Vehicle Code to allow

the crooked street to be gated.

- **Technical and Financial Issues:** Technical issues such as gate placement, delivery access, guest access and turnaround space, and financial issues regarding the costs of paying for street closure were addressed.

- **Consensus Among Neighbors:** The street closure will also require consensus among the neighbors. The majority of residents must agree that closing the street is the most appropriate solution.

RESULTS

Air Pollution Field Investigation Results

Mr. Richard Lee, Sr. Industrial Hygienist, from the DPH Environmental Health Division, and Amanuel Haile conducted measurements of air quality on July 3, 1999, at the Crooked Street. Measurements of carbon monoxide were taken (a major component of vehicle exhaust) at two locations. The first location was on the Crooked Street at Montclair Terrace. The other location was at the southeast corner of Lombard and Larkin Streets, 3 feet away from the curb. The sampling was conducted at a height of 5 feet.

Carbon monoxide was measured using two Industrial Scientific ATX0612 four gas monitors. The monitors were zeroed and calibrated for carbon monoxide testing prior to the measurements at a clean location. Confirmatory measurements were taken at the Larkin Street location using a Metrosonics 7700 carbon monoxide sensor. The meters were read and recorded every minute.

Measurements were taken at the Montclair Terrace site from 1:15 p.m. to 3:15 p.m. During this time, there was continuous vehicular traffic along Lombard Street from Van Ness Avenue to Leavenworth Street. During the measurement period there was a continuous wind of approximately 5-10 miles per hour.

At the Montclair Terrace location, carbon monoxide levels were between 0 and 1 part per million (ppm) for almost the entire measurement period. There was one spike that lasted less than one minute where the level reached 11 ppm. This may have been due to a vehicle with a faulty emission system. The average concentration during the measurement period was less than 1 ppm.

At the Larkin Street location, carbon monoxide levels were between 0 and 1 ppm for almost the entire measurement period. There were three peaks lasting 2-3 minutes, where levels reached 4 ppm. There were two other peaks lasting 2-3 minutes where levels reached 8 ppm and 14 ppm. Again, these peaks were probably due to older cars with faulty emission systems. The Metrosonics meter confirmed these measurements. The average concentration during the measurement period was less

than 1 ppm.

There are no city ordinance or standards regulating vehicle exhaust. California has an ambient air quality standard allowing 9 ppm averaged over an 8 hour period or 20 ppm over 1 hour. The measurements taken at both locations were well below these standards. These measurements are also well below the occupational health safety standard of 25 ppm, averaged over 8 hours, 5 days a week. In addition, measurements were taken on a particularly busy day for vehicular traffic. Levels should be lower on lighter traffic days. The measurements indicate that vehicle exhaust in this area does not pose a public health hazard.

A previous study was performed on Saturday, August 22, 1997, at the request of a Russian Hill resident. A measurement of Carbon Monoxide was taken along the sidewalk on the 1200 block of Lombard Street from 2:20 PM to 5:00 PM, when cars were lined up waiting to go down the crooked street. Carbon Monoxide levels averaged 2-3 parts per million (ppm). Levels on the sidewalk averaged 5-10 ppm. This would not have exceeded the State standard. The measurements taken were also below the occupational health and safety standard of 25 ppm, averaged over 8 hours, 5 days a week.

In conclusion, the exhaust from the vehicles measured on and around the crooked street does not appear to pose a public health hazard.

Noise Pollution on and around the Crooked Street

Mr. Tom Rivard, noise pollution expert from the DPH Environmental Health Division, addressed the Task Force. Members of the task force noted various noise problems that they encountered. Noise associated with speeding vehicles, cars honking, pedestrians yelling, tire screeching and loud music from vehicles using the crooked street were identified as the major sources of noise pollution. Mr. Rivard noted that vehicle noise is regulated under California Vehicle Code Section 23130.5, and presently, heavy trucks and tour buses are prohibited on and around the crooked street. Therefore, vehicle noise measurements are not likely to reveal any unusual violations. Mr. Rivard stated that much of the identified noise pollution is regulated under the San Francisco Police Code, Article 29. The task force agreed that the noise pollution on and around the crooked street is difficult to quantify and is primarily a matter of enforcing existing laws.

Enforcement on and around the Crooked Street

Captain Goldberg of Central Police Station, Lieutenant Don Carlson of SFPD Traffic Company and Tony Novello of the DPT Enforcement Division addressed enforcement-related issues.

According to Captain Goldberg, the Central Station personnel besides enforcing traffic violations, is also engaged in street patrol and other functions. Central Station has

limited budget and staffing. More rigorous enforcement of vehicular movement on the crooked street is not feasible due to the need to direct enforcement resources to other areas, such as Fisherman's Wharf, Telegraph Hill and Coit Tower. In addition, since the majority of the visitors at the crooked street are tourists, enforcement will not have a lasting effect. Tourists are not regarded as repeat violators, hence, issuing citations to tourist is not likely to have lasting behavioral changes. However, SFPD Central Station will provide enforcement as deemed necessary given the availability of personnel.

According to Tony Novello of the DPT Enforcement Division, the DPT Enforcement Division assigns PCO's at the crooked street during the high tourist season. The money allocated for crooked street traffic control for the 1999 fiscal year was $17,000. This funds an overtime budget, since most of the traffic queues happen on the weekends and the PCO's must be paid overtime for their services. Due to the limited budget, the department provides PCO's to control traffic on and around the crooked street for about nine (9) weekends. The PCO's are assigned at Van Ness Avenue and Lombard Street, Polk and Lombard Streets, Larkin and Lombard Streets, and Hyde and Lombard Streets. Because this is an overtime-funded program, DPT must rely on PCO's to volunteer for this assignment. Due to various circumstances, such as a whistle-blowing restriction, irate behavior exhibited towards the PCO's by tourists and residents, the Enforcement Division has difficulty attracting experienced PCO's to volunteer for this program. In addition, labor restrictions prohibit the director and the supervisors from forcing more experienced PCO's to work overtime on this assignment.

MUNI's Cable Car:

There was a suggestion to relocate MUNI's cable car stop so that the cable car would not stop in the middle of the Hyde and Lombard Streets intersection (see Figure 2). When this happens, it aggravates the traffic backup along Lombard Street. According to George Bowie and Andrew Saltzman of MUNI's Cable Car Division relocating the northbound stop further south poses a safety issue. The cable cars must stop at the intersection of Hyde and Lombard Streets where a stop limit line is marked with an "XX". The limit line is marked at a location were the cable car operators can clearly see if there are any cable cars on Chestnut and Hyde Street located one block north of the intersection. For safety reasons only one cable car can be on this steep grade at a time.

DPT and MUNI investigated the possibility of rerouting MUNI's # 39-COIT line to service crooked street visitors. Currently the # 39 line services Fisherman's Wharf via Union Street to Telegraph Hill Boulevard up to Coit Tower. Providing a bus to service tourists to the crooked street could provide an alternate means of transportation other than driving, which in turn could reduce the number of vehicles driving the crooked street. MUNI staff, however, felt that this would overextend the running distance for this line and require additional busses and drivers. As an alternative, MUNI staff

suggested a wait-and-see approach, to see if the new F-line service, along with the cable car connection, might alleviate some of the vehicular traffic. Another suggestion would be to encourage the development of a shuttle service by a private operator.



Figure 2

TRAFFIC STUDY

Existing conditions

The study area includes ten intersections on Lombard Street between Van Ness Avenue and Leavenworth Street and on Chestnut Street between Van Ness Avenue and Leavenworth Street. A map of the study area is shown in Figure 3.



Figure 3.

According to the San Francisco Master plan, Lombard and Chestnut Streets are classified as neighborhood residential streets. Lombard Street is 44'-9" wide with one lane in each direction, between Van Ness Avenue and Hyde Street, and 15' wide with one lane eastbound between Hyde and Leavenworth Streets. Van Ness Avenue is classified as a major arterial in the Master Plan.

Existing traffic controls:

The intersections of Van Ness Avenue at Lombard and Chestnut Streets are controlled by traffic signals. The following intersections along Lombard Street are controlled by all-way STOP signs: Polk, Larkin and Leavenworth Streets. At the intersection of Lombard and Hyde Streets, eastbound Lombard Street and a northbound Hyde Street are controlled by STOP signs. The southbound Hyde Street approach at this intersection does not have STOP sign control because cable cars cannot stop on such steep hills (a cable car STOP sign exemption would also not work if cars have to stop in front of the cable car). There is a convex traffic safety mirror at this intersection to address safety and visibility for eastbound Lombard Street traffic. Along Chestnut Street, the all-way STOP sign- controlled intersections are at Larkin and Leavenworth Streets. All other intersections on Chestnut Streets are two-way STOP- controlled with STOP signs stopping Chestnut Street.

Existing parking regulations:
The residential streets in this area have a 2-hour parking limit for non-residents and unlimited parking for vehicles with a residential parking permit. These regulations are in effect from 8 A.M. to 9 P.M., Monday through Saturday. Parking is in high demand in the entire Russian Hill district.

Public transportation
MUNI line #19 provides service along the whole length of Polk Street located two blocks west of the crooked street and MUNI' s cable car runs along Hyde Street west of the crooked street.

Average Daily Traffic (ADT)
To determine the relative traffic volumes along Lombard and Chestnut Streets 24-hour traffic counts were obtained, as well as sample counts. Sample counts were factored to reflect 24-hour volumes. The results are summarized below on Table 1.

TABLE 1

Street Section	ADT
Lombard Street eastbound Between Van Ness and Polk	4078
Lombard Street eastbound between Polk and Larkin	3709
Lombard Street eastbound between Larkin and Hyde	3488
Lombard Street eastbound between Hyde and Leavenworth	1560
Chestnut Street westbound between Polk and Hyde	901

Significant trends
Table 1 reflects field investigations performed between May 9 and May 31, 1999. On weekends between 1:00 PM and 5:00 PM, northbound Van Ness Avenue traffic turning right to Lombard Street consistently blocked both eastbound Lombard Street through traffic and northbound Van Ness Avenue through traffic. The Van Ness Avenue blockages are particularly disruptive to MUNI. The highest traffic volumes in the study area occurred at Van Ness Avenue and Lombard Street during the Memorial Day weekend. During the Memorial Day weekend the following observation were made:

- Vehicular traffic capacity of the crooked street averages 350 vehicles per hour.
- The traffic volume on Lombard Street between Van Ness Avenue and Hyde Street exceeds the 350 vehicles per hour capacity from 12:00 noon to 9:00 p.m.
- The traffic delay for drivers waiting to go down the crooked street averages 35-40

minutes. This is the amount of time it takes a motorist to drive from Van Ness Avenue to Hyde Street along Lombard Street, a 3-block segment, about 1230 feet long.

Speed survey

In response to concerns expressed by a task force member regarding speeding along Chestnut Street between Leavenworth and Hyde Streets, a three-day 24-hour speed survey was performed on two different occasions. The existing speed limit is 25 miles per hour. The following is a summary of the speed survey results from May 27- May 30, 1999 and February 15, 16 and 26, 2000:

- The Average Speed of all the vehicles was 24.64 miles per hour
- The 85th Percentile Speed was 25.34 miles per hour.

The 85th percentile speed is the speed that 85% of drivers drive at or below. The 85th percentile speed is a common benchmark speed used to evaluate speeding conditions. 85th percentile speeds of up to 33 miles per hour are fairly common on streets with 25 mile per hour speed limits. The results for Chestnut Street show that the 25 mph limit is reasonable and being reasonably obeyed.

Speed measurements were not taken along Lombard Street since the congestion and the winding street geometry keeps speeds low. The crooked street itself has an advisory speed of 5 mph.

Pedestrian volumes

To estimate pedestrian volumes on and around the crooked street, 10-minute counts were conducted between 1:00 PM and 4:30 PM, on high tourist season weekends, when the pedestrian activity is highest. Table 2 summarizes the results of this survey performed from May 9- May 31, 1999.

TABLE 2 Side Street	Pedestrian Activity	# of Pedestrians crossing Lombard St (10 minute count)	# of Pedestrians crossing side street (10 minute count)
Leavenworth	High	62	48
Hyde	High	54	40
Larkin	Low	6	10
Polk	Low	3	7
Van Ness	Moderate	15	21

Significant trends

The highest volume of pedestrians crossing Lombard Street was measured at both Leavenworth and Hyde Streets with an average of 7 pedestrians per minute. The next

highest volumes were measured at Van Ness Avenue with an average of 5 pedestrians per minute. The pedestrian volumes at the rest of the study intersections ranged from 1 to 3 pedestrians per minute.

Overall Accident History

Traffic accidents on and around the crooked street were examined for the period from 1994 to 1998. The accident statistics were obtained from the San Francisco Police department's records of collision reports. Table 3 lists the accidents for the study area. Table 4 summarizes these accidents for various intersections.

TABLE 3: Accident types from 1994 to 1998 on and around the crooked street

INTERSECTION	DATE	LOCATION	TYPE
CHESTNUT & HYDE	08/14/1994	INTERSECTION	Head-on
CHESTNUT & HYDE	04/21/1995	INTERSECTION	hit object
CHESTNUT & POLK	01/04/1995	INTERSECTION	auto/ped
CHESTNUT & POLK	01/09/1996	INTERSECTION	auto/ped
CHESTNUT & POLK	08/01/1997	INTERSECTION	broadside
CHESTNUT & POLK	06/04/1998	INTERSECTION	sideswipe
GREENWICH & LEAVENWORTH	04/26/1998	MID-BLOCK	hit object
GREENWICH & POLK	02/04/1996	INTERSECTION	auto/ped
GREENWICH & POLK	02/27/1996	INTERSECTION	broadside
GREENWICH & POLK	09/05/1997	INTERSECTION	broadside
HYDE & GREENWICH	02/06/1994	MID-BLOCK	overturned
LOMBARD & HYDE	04/06/1994	INTERSECTION	hit object
LOMBARD & HYDE	09/16/1994	INTERSECTION	hit object
LOMBARD & HYDE	06/22/1996	INTERSECTION	broadside
LOMBARD & HYDE	03/14/1998	INTERSECTION	broadside
LEAVENWORTH & CHESTNUT	03/26/1995	MID-BLOCK	sideswipe
LEAVENWORTH & CHESTNUT	06/07/1996	MID-BLOCK	hit object
LEAVENWORTH & CHESTNUT	08/28/1998	MID-BLOCK	broadside
LOMBARD & LEAVENWORTH	10/26/1994	MID-BLOCK	hit object
LOMBARD & LEAVENWORTH	09/18/1994	MID-BLOCK	auto/ped
LOMBARD & POLK	01/061994	MID-BLOCK	other
LOMBARD & POLK	05/22/1995	INTERSECTION	broadside
LOMBARD & POLK	11/221995	INTERSECTION	rear-end
LOMBARD & POLK	11/201998	INTERSECTION	auto/ped
LOMBARD & VAN NESS	11/06/1994	INTERSECTION	auto/ped
LOMBARD & VAN NESS	03/05/1995	MID-BLOCK	rear-end
LOMBARD & VAN NESS	04/11/1995	INTERSECTION	broadside
LOMBARD & VAN NESS	06/28/1995	INTERSECTION	sideswipe
LOMBARD & VAN NESS	08/13/1995	INTERSECTION	broadside
LOMBARD & VAN NESS	10/19/1995	INTERSECTION	auto/ped
LOMBARD & VAN NESS	11/05/1995	MID-BLOCK	rear-end

TABLE 3: Continued
Accident types from 1994 to 1998 on and around the crooked street

ADDRESS	DATE	LOCATION	TYPE
LOMBARD & VAN NESS	01/15/1996	INTERSECTION	auto/ped
LOMBARD & VAN NESS	02/09/1996	INTERSECTION	rear-end
LOMBARD & VAN NESS	05/24/1996	INTERSECTION	auto/ped
LOMBARD & VAN NESS	08/11/1996	MID-BLOCK	rear-end
LOMBARD & VAN NESS	01/12/1997	INTERSECTION	rear-end
LOMBARD & VAN NESS	03/20/1997	INTERSECTION	broadside
LOMBARD & VAN NESS	07/06/1997	INTERSECTION	sideswipe
LOMBARD & VAN NESS	06/01/1998	INTERSECTION	hit object
LOMBARD & VAN NESS	06/07/1998	INTERSECTION	hit object
LOMBARD & VAN NESS	07/02/1998	INTERSECTION	hit object
LOMBARD & VAN NESS	10/26/1998	INTERSECTION	auto/ped
LOMBARD & VAN NESS	05/16/1994	INTERSECTION	rear-end
LOMBARD & VAN NESS	10/19/1994	MID-BLOCK	auto/ped
LOMBARD & VAN NESS	10/17/1996	MID-BLOCK	broadside
LOMBARD & VAN NESS	11/06/1996	MID-BLOCK	auto/ped

TABLE 4. Accident Totals from 1994 to 1998 on and around the crooked street

	NUMBER OF REPORTED ACCIDENTS					
INTERSECTION	1994	1995	1996	1997	1998	Total
LOMBARD/VAN NESS	7	6	6	3	4	26
LOMBARD/POLK	1	2	0	0	1	4
LOMBARD/LEAVENWORTH	1	1				2
LOMBARD/HYDE	2		1		1	4
GRENWICH/HYDE	1					1
GREENWICH/POLK			2	1		3
GREENWICH/LEAVENWORTH					1	1
CHESTNUT/POLK		1	1	1	1	4
CHESTNUT/LEAVENWORTH		1	1		1	3
CHESTNUT/HYDE	1	1				2
Totals	13	12	11	5	9	50

Significant trends:

Generally, the intersections with the highest number of Police reported accidents coincided with the intersections with the highest traffic volumes.

With a total of 26 accidents from 1994 to 1998, the intersection of Van Ness Avenue and Lombard Street had the most reported accidents among the intersections surveyed.

Another significant trend is the reduction in the total accidents in the four-year period from 19 to 1998. Comparing the figures for 1994 vs. 1997, the total number decreased from 13 to 5 accidents, a reduction of almost 60 %.

Pedestrian Accident History:
In response to concerns about pedestrian safety on and around the crooked street, pedestria accident statistics were also analyzed. Table 5 summarizes the pedestrian accidents in the study area from 1994 to 1998.

TABLE 5. Pedestrian Accidents from 1994 to 1998 on and around the crooked street

LOCATION	DATE	TYPE
CHESTNUT & POLK	01/04/1995	INTERSECTION
CHESTNUT & POLK	01/09/1996	INTERSECTION
GREENWICH & POLK	02/04/1996	INTERSECTION
LOMBARD near LEAVENWORTH	09/18/1995	MID-BLOCK
LOMBARD & POLK	11/20/1998	INTERSECTION
LOMBARD & VAN NESS	07/12/1994	INTERSECTION
LOMBARD & VAN NESS	09/27/1994	INTERSECTION
LOMBARD & VAN NESS	11/06/1994	INTERSECTION
LOMBARD & VAN NESS	10/19/1995	INTERSECTION
LOMBARD & VAN NESS	01/15/1996	INTERSECTION
LOMBARD & VAN NESS	05/24/1996	INTERSECTION
LOMBARD & VAN NESS	10/26/1998	INTERSECTION
VAN NESS near LOMBARD	10/19/1994	MID-BLOCK
VAN NESS near LOMBARD	11/06/1996	MID-BLOCK

Significant Trends:
Based on an analysis of the Police accident reports for these intersections, there appears to be a common pattern. The causes for accidents appear to be driver's inattention. The intersection of Lombard Street and Van Ness Avenue has the most reported pedestrian accidents from 1994 to 1998. Considering that Lombard Street at Leavenworth and at Hyde Streets have relatively heavy pedestrian activity, it is somewhat surprising that these intersections have had no reported pedestrian accidents.

License Plate Study:
DPT staff performed a license plate study during the Memorial Day weekend to determine the origin of the vehicles on the crooked street. According to the study, 41% of the vehicles were

from the greater Bay Area, 13% were from the city of San Francisco, and 40% were out of the Bay Area. Rented vehicles comprised only 6% of the total. Table 6 summarizes the origin of the vehicles that visited the crooked street during the Memorial Day weekend of 1999.

Table 6: Lombard Street License Plate Study

City where Vehicle is registered	Number of vehicles (10 minutes count)	% (Percentage)
San Francisco	16	13
Bay Area	51	41
Out of Bay Area	50	40
Total Rented vehicles	7	6

Recommendations

Suggestions to minimize traffic backup and bottlenecks

DPT staff has identified the intersections of Van Ness Avenue and Lombard Street, Lombard and Hyde Streets, and Lombard and Leavenworth Streets as the bottlenecks that contribute to the traffic backups along Lombard Street. Pedestrians taking group pictures at the top and bottom of the crooked street contribute to the traffic backups. In addition, any southbound Hyde Street traffic making an illegal left turn onto the crooked street can potentially block cable cars and other traffic.

As noted in this report there appears to be a significant problem at the Lombard Street and Van Ness Avenue intersection. This is caused in large part by the northbound Van Ness Avenue vehicles trying to turn right onto Lombard Street.

DPT recommends a part-time parking prohibition on the eastside of Van Ness Avenue, south of Lombard Street, to alleviate the queuing of traffic trying to access the crooked street. The parking prohibition would be in effect between the months of May and September, Friday to Sunday, including public holidays, from 9AM to 9PM.

DPT recommends increasing enforcement with Parking Control Officers (PCO's) at the above mentioned intersections. Although PCO's are not authorized to cite for moving violations, their presence provides an active deterrent, which in turn facilitates traffic movements. In addition, DPT recommends more nighttime police officer (SFPD) presence at the crooked street especially during the high-tourist season to enforce various noise-related infractions.
The Traffic Engineering Division recommends that the allocated budget for the Crooked Street traffic control be increased by at least 50% above the amount allotted for the 1999 fiscal year ($17,000).

Shuttle to serve the crooked street

To provide an alternative means of transportation other than driving, DPT recommends encouraging the development of a private shuttle service to the crooked street. Since buses and vans with a seating capacity over 8 passengers are prohibited on and around the crooked street, this service would require an exception to operate in this area.

Street Closure

Some Task Force members were strong advocates of closing the crooked street to non-residents. However, other Task Force members who are also residents along the crooked street, wanted to make it clear that they do not favor an exclusive gating arrangement. DPT reviewed the following issues relative to a non-resident street closing:

1. **Legal issue (Section 21101.6 of California vehicle Code):** California Vehicle Code Section 21101.6 prohibits the closure of a public street to allow local access only. Currently, it is illegal to gate a public street to allow selective access for residents and exclude the general public. The task force discussed a previous senate bill of March 2, 1987, introduced by Senator Quentin Kopp, which would have amended Section 21101.6 of the Vehicle Code. It was noted that the bill was never acted upon and expired

   Another option to circumvent this issue would be the privatization of the street. DPT staff does not advocate this approach; however, the property owners on the crooked street could make an offer to the city.

2. **Consensus among neighbors:** The street closure will also require consensus among the neighbors. The majority of residents must agree that closing the crooked street is the only solution for the traffic concerns on and around the crooked street. At the September 2, 1999 task force meeting, five out of the seven neighborhood residents in attendance expressed an interest in some sort of street closure restriction for the crooked street. DPT staff has also been informed that at the January 4, 2000 Russian Hill Neighborhood Director's meeting, the board voted in favor of closure. According to the 1998 DPT postcard crooked street survey, the idea of restricting traffic on the crooked street was supported by 55% of the residents while 17% did not support the idea, 31% said it depends on the specific proposal, and 28% did not respond at all. These responses had significant block-by-block variations. For example, 26% of the residents of the 1000 block Lombard Street support the idea of restricting through traffic and 37% oppose such a proposal. On Monticlair Terrace 13% support the idea of restricting through traffic and 38% oppose the idea.

3. **Technical and financial issues:** Gating has the following other issues requiring resolution: gate placement, delivery access, guest access, turnaround space, and

3. financial issues. These issues are discussed under the various design alternatives below:

Street Closure Alternatives

a. **Mid-block closure (see "PROPOSAL I" next page).** The crooked street is 15 feet wide with one-lane in the eastbound direction. If barriers were placed mid-block to discourage through access the street should be widened by 5 feet to accommodate two-way traffic according to modern design standards. The estimated construction cost for such a change would be $ 1.8 million. This proposal would have some turn-around problems. People making turn-arounds would have to use private driveways.

b. **Automatic gate (See "PROPOSAL II" following page).** This system uses a telephone entry system where residents of the crooked street use a remote control key to access their homes and non-residents (emergency vehicles and freight delivery) would use a telephone entry system. This type of automatic gate with electric power and phone line would cost about $50,000.

c. **Gate with security personnel (See "PROPOSAL III" following page).** An alternative gating arrangement would use part- time or full-time security personnel that would prohibit non-residents from accessing the crooked street at certain times of the day. The estimated cost of security personnel with a firearm is $24.00/hr/officer and with no firearm is $15.00/hr/officer. In this type of system a gate can be installed for about $19,000. This alternative would have the added benefit of providing security personnel to monitor other problems, such as noise.

d. **Signal System.** Another suggestion made at the Task Force meeting was to install a signaling system to alternate the one-way direction of the crooked street. This type of system would be complicated by the need to have signal indications provided for Monticlair Terrace and for the private driveways on the crooked street. The operation of the signal would be complicated by the need to provide for cable car pre-emption. This would likely lead to a dramatic capacity reduction on the crooked street, leading to more backups.

e. **Vacating the crooked street.** As mentioned previously converting the crooked street to a private street is one way to overcome the legal obstacles associated with gating a public street. This could be done by a street vacation process where the adjacent property owners would purchase the street. The procedure for vacating involves assessing the street value of the crooked street by the city's Real Estate agent and a third party hired by the residents. A street vacating permit must be obtained from the Department of Public Works and requires approval by the Board of Supervisors. Once the street is vacated, the residents of the crooked street would assume all responsibility including maintenance and repair costs.

Some task force members suggested converting Lombard Street between Larkin and

Polk Streets to one-way westbound. This would discourage through traffic movement. DPT staff noted a similar proposal was implemented in 1970. Predictably, traffic conditions improved on this portion of Lombard Street, but adjacent streets such as Francisco and Greenwich Streets bore the displaced traffic. After two months, the proposal was revoked when residents of adjacent streets protested.

DPT staff recommends additional Parking Control Officers and Police Officers to be assigned for the crooked street detail. In addition we recommend the closure of eastbound Lombard Street at Van Ness Avenue during the following high-tourist season weekends when vehicular traffic is especially high:

- Memorial Day Weekend
- July 4th Weekend
- Labor Day Weekend
- Columbus Day Weekend

According the California Vehicle Code, Section 21101.2 "Local Authority to Divert Traffic", " if the peace officer finds that a significant number of vehicles are not promptly moving when opportunity arises to do so, then the peace officer may divert vehicles, excepting public safety or emergency vehicles, from that street or highway, subject to traffic congestion until such time as reasonably flowing traffic is restored. DPT staff requested that the local authority, i.e, the Northern Police Station, give DPT Enforcement full authority to close eastbound Lombard Street between Van Ness Avenue and Polk Street.

Captain Alex Fagan, Commanding Officer of the Northern Police Station, in his memo dated August 9, 2000, has given the Department of Parking and Traffic, Enforcement Division, full authority to close as deemed necessary the 1300 block of Lombard Street, between Van Ness and Polk Street.

STREET CLOSURE OPTION I

- Mid-Block Closure
  - WIDEN THE CROOKED STREET BY 5 FEET
  - Street will be converted into a two-way regulation
  - Post not a through street signs
  - Estimated Construction cost = $ 1.8 million
  - Estimated construction duration 7 months



STREET CLOSURE OPTION II

- Entry - Closure I
  - automatic gate
  - built in time clock provides time zoned relay activation, part time open & shut down of gate loop detection
  - telephone entry system
  - residents use remote control key to access
  - cost (estimated)
    - $50,000 installed (includes electric power and phone)
    - $20,000 without (electric power and phone)



STREET CLOSURE OPTION III

- **Entry - Closure II**
  - **Gate with Security Officer**
  - **Part time or full time security officer**
    - **Armed : $24.00/hr/officer**
    - **Unarmed : $15.00/hr/officer**
    - **Gate with no telephone system = $19,000**



SAN FRANCISCO
DPT
DEPARTMENT OF PARKING & TRAFFIC

WILLIE LEWIS BROWN, JR., MAYOR
FRED M. HAMDUN, EXECUTIVE DIRECTOR

City and County of San Francisco

25.24
1
1/20/01

DEPARTMENT OF PARKING AND TRAFFIC
TRAFFIC ENGINEERING DIVISION
CROOKED STREET TASK FORCE

AGENDA

DOCUMENTS DEPT.

FEB 14 2001

SAN FRANCISCO
PUBLIC LIBRARY

DATE : February 20, 2001

TIME: 1:00 PM

PLACE: City Hall, Room 400, 1 Dr. Carlton B. Goodlett Place, San Francisco, CA 94102

CHAIRPERSON: Tom Folks, DPT
VICE-CHAIRPERSON: Amanuel Haile, DPT

MEMBERS: Shirley Bates; Robert Brown; Greg Brundage; Lucretia Rauh; Elton L. Puffer; Frances Bak-Brundage; Andrew Bacigalupi; Janis Olvarado; Sandra Gulli; Julie Mayberry; and Anton Bruehl

The Department of Parking and Traffic staff will present "The Crooked Street Task Force Final Report" to the Parking and Traffic Commission as described above.

If you have any questions please call Amanuel Haile at 554-2329.

c: Government and Information Center, SF Public Library, 100 Larkin Street, San Francisco, CA 94102
Captain Dillon, SFPD Central Station, 766 Vallejo Street, San Francisco, CA 94133
Lieutenant Don Carlson, SFPD Traffic Company, Thomas J. Cahill – Hall of Justice, 850 Bryant Street, Room 150, San Francisco, CA 94103
Debbie Fong-Borthne, DPT Enforcement, 505 7th Street, San Francisco, CA 94103
Peter Straus, MUNI, Service planning, 949 Presidio Avenue, San Francisco, CA 94115
Heidi Machen, Supervisor Gavin Newsom's Office, City Hall, 1 Carlton B. Goodlett Place, Room 244, San Francisco, CA 94102

FMH:BY:HA:df
Crooked Street
February 13, 2001